

PHARMACOPEIA.




40916/A

Pharmacopoeia

London: University  
College  
Hospital

Buxton Hilltop



43134

# PHARMACOPCEIA

AD USUM

VALETUDINARII COLLEGII UNIVERSITATIS  
LONDINENSIS,

ACCOMMODATA.

---

LONDINI:  
TAYLOR ET WALTON.

---

MDCCCXLVI.

LONDON:  
BRADBURY AND EVANS, PRINTERS, WHITEFRIARS.



## CONTENTS.

	No.
Decoctum Aloës Compositum . . . . .	1
Hemidesmi Indici . . . . .	2
Compositum . . . . .	3
Pareiræ Bravæ . . . . .	4
Sarzæ Compositum . . . . .	5
Electuarium Ferri . . . . .	6
Jalapæ cum Potassæ Bitartrate . . . . .	7
Enema Catharticum . . . . .	8
Fœtidum . . . . .	9
Opii . . . . .	10
Terebinthinæ . . . . .	11
Gargarisma Aluminis . . . . .	12
Cinchonæ cum Acidò . . . . .	13
Sodæ Biboratis . . . . .	14
Infusum Sennæ Compositum . . . . .	15
Juniperi cum Scopario . . . . .	16
Injectio Quercùs Corticis . . . . .	17
Linimentum Camphoræ cum Oleo Crotonis . . . . .	18
Camphoræ cum Opio . . . . .	19
Iodinii Compositum . . . . .	20
Opii . . . . .	21
Saponis Compositum . . . . .	22
cum Opio . . . . .	23
Terebinthinæ Aceticum . . . . .	24
Liquor Cinchoniæ Disulphatis . . . . .	25
Iodinii Causticus . . . . .	26
Morphiæ Hydrochloratis . . . . .	27
Potassii Iodidi . . . . .	28

	No.
Lotio Acidi Nitrici . . . . .	29
Argenti Nitratis . . . . .	30
Cupri Sulphatis . . . . .	31
Plumbi Diacetatis . . . . .	32
Lotio Zinci Sulphatīs . . . . .	33
————— Composita, } (vel Lotio Rubra) } . . . . .	34
Mistura Acaciæ cum Vino Ipecacuanhæ . . . . .	35
Aloëtica . . . . .	36
Amygdali cum Antimonii Potassio-Tartrate . . . . .	37
Anthemidis cum Magnesiæ Sulphate . . . . .	38
Antimonii Potassio-Tartratis . . . . .	39
Antimonii Potassio-Tartratis cum Magnesiæ Sulphate . . . . .	40
Cascarillæ cum Acido Nitrico . . . . .	41
Catechu . . . . .	42
Colchici Alkalina . . . . .	43
————— cum Magnesia . . . . .	44
————— cum Magnesiæ Sulphate . . . . .	45
Gentianæ cum Acido Sulphurico . . . . .	46
Lobeliæ et Ammoniaci . . . . .	47
Magnesiæ Sulphatis cum Acido Sulphurico . . . . .	48
————— Magnesia, } (vel Salina Aperiens) . . . . .	49
Opii Ammoniata . . . . .	50
Potassæ Acetatis . . . . .	51
Quassiæ cum Ferro . . . . .	52
Quinæ cum Acido Nitrico . . . . .	53
————— Sulphurico . . . . .	54
Rhei cum Magnesia . . . . .	55
Salina . . . . .	56
————— cum Acido Hydrocyanico . . . . .	57
————— Antimonialis . . . . .	58
Scillæ cum Conio . . . . .	59
Tincturæ Camphoræ Compositæ . . . . .	60

	No.
Mistura Valerianæ . . . . .	61
— Composita . . . . .	62
Pilulæ Aloes cum Hydrargyro, } (vel Pilulæ Purgantes) }	63
Bismuthi cum Stramonio . . . . .	64
Calomelanos cum Aconito . . . . .	65
— Antimonio . . . . .	66
Colchici cum Aconito . . . . .	67
Colocynthidis . . . . .	68
— cum Hydrargyro . . . . .	69
— cum Ipecacuanha } (vel Aperiens et Alterativa) }	70
Conii cum Ipecacuanha . . . . .	71
— cum Morphia . . . . .	72
Ferri cum Myrrha . . . . .	73
Hydrargyri cum Extracto Papaveris . . . . .	74
— Pulvere Ipecacuanhæ Composito	75
Hyoscyami cum Opio . . . . .	76
Lactucarii . . . . .	77
Morphiæ et Stramonii,—No. 1 . . . . .	78
— No. 2 . . . . .	79
— No. 3 . . . . .	80
Plumbi Acetatis . . . . .	81
Quinæ Disulphatis . . . . .	82
Rhei cum Hydrargyro . . . . .	83
Scillæ cum Hydrargyro . . . . .	84
Pulvis Calomelanos et Ipecacuanhæ . . . . .	85
— et Jalapæ . . . . .	86
Ipecacuanhæ cum Antimonii Potassio- } Tartrate (vel Pulvis Emeticus) }	87
Quinæ Disulphatis et Rhei . . . . .	88
Rhei et Hydrargyri cum Creta . . . . .	89
— cum Magnesia . . . . .	90
Rhei et Sodaæ . . . . .	91
Suppositorium Opii . . . . .	92

	No.
Syrupus Ferri Carbonatis . . . . .	93
— Ferri Iodidi . . . . .	94
Tinctura Cannabis Indicæ . . . . .	95
Unguentum Potassii Iodidi . . . . .	96
— Sulphuris Iodidi . . . . .	97
— Hydrargyri Nitratis Mitius . . . . .	98
Vinum Ferri . . . . .	99
	PAGE
Appendix . . . . .	31
Tables of Weights and Measures . . . . .	31
Heads for Reports of Cases . . . . .	32

## DECOCTA.

---

### 1. DECOCTUM ALOËS COMPOSITUM.

℞ Aloës unciam cum semisse,  
Pulveris Myrrhæ unciam cum semisse,  
Potassæ Carbonatis unciam,  
Aquæ octarios duodecim ;  
Misce, decoque ad octarios octo, adjice,  
Extracti Glycyrrhizæ uncias quatuor.  
Dosis fʒj ad fʒij.

### 2. DECOCTUM HEMIDESMI INDICI.

℞ Hemidesmi Indici Radicis uncias quinque,  
Aquæ octarios quatuor ;  
Misce, decoque ad octarios duos, cola.  
Dosis fʒj ad fʒiv.

### 3. DECOCTUM HEMIDESMI INDICI COMPOSITUM.

℞ Decocti Hemidesmi octarios quatuor,  
Sassafras concisæ, } singulorum  
Guaiaci Ligni Rasi, } drachmas  
Glycyrrhizæ contusæ, } decem.

Mezerei drachmas tres ;  
 Misce, decoque per quartam horæ partem,  
 cola.

Dosis fzj ad fziv.

#### 4. DECOCTUM PAREIRÆ BRAVÆ.

Bo Pareiræ Bravæ Radicis semunciam,  
 Aquæ ferventis octarios tres ;  
 Misce, et decoque ad octarium.

Dosis fzj ad fzij.

#### 5. DECOCTUM SARZÆ COMPOSITUM.

Bo Extracti Sarzæ compositi drachmam,  
 Aquæ ferventis fluiduncias octo ;  
 Solve.

Dosis fzj ad fziv.

### ELECTUARIA.

---

#### 6. ELECTUARIUM FERRI.

Bo Ferri Sesquioxydi et  
 Theriacæ, singulorum drachmas qua-  
 tuor ;  
 Misce, fiat Electuarium.

Dosis 3j ad 3ij.

**7. ELECTUARIUM JALAPÆ CUM  
POTASSÆ BITARTRATE.**

R. Potassæ Bitartratis drachmas tres,  
Pulveris Jalapæ drachmas duas,  
Pulveris Zingiberis scrupulum,  
Theriacæ unciam ;  
Misce, fiat Electuarium.

Dosis ʒj ad ʒij.

**ENEMATA.**

---

**8. ENEMA CATHARTICUM.**

R. Decocti Avenæ uncias duodecim,  
Olei Olivæ uncias duas,  
Misturæ domesticæ uncias quatuor ,  
Misce, fiat Enema.

**9. ENEMA FŒTIDUM.**

R. Decocti Hordei octarium dimidium,  
Olei Olivæ unciam,  
Misturæ Assafœtidæ uncias tres,  
Misturæ Acaciæ unciam dimidiā ;  
Misce, fiat Enema.

## 10. ENEMA OPII.

- ¶ Tincturæ Opii minima quadraginta,  
 Misturæ Amyli uncias quatuor ;  
 Misce, fiat Enema.

## 11. ENEMA TEREBINTHINÆ.

- ¶ Decocti Hordei octarium,  
 Olei Terebinthinæ unciam cum semisse,  
 Vitellum ovi unius ;  
 Tere optimè Terebinthinam cum ovi vi-  
 tello, adde gradatim Decoctum, et fiat  
 Enema.

## GARGARISMATA.

## 12. GARGARISMA ALUMINIS.

- ¶ Aluminis drachmas duas,  
 Aquæ fluiduncias sex cum semisse,  
 Mellis unciam cum semisse ;  
 Misce, fiat Gargarisma.

## 13. GARGARISMA CINCHONÆ CUM ACIDO.

- ¶ Decocti Cinchonæ fluiduncias sex cum  
 semisse,  
 Acidi Hydrochlorici fluidrachmam cum  
 semisse,

Mellis unciam cum semisse ;  
Misce, fiat Gargarisma.

## 14. GARGARISMA SODÆ BIBORATIS.

℞ Sodæ Biboratis drachmas duas,  
Mellis unciam cum semisse,  
Aquæ fluiduncias sex cum semisse ;  
Misce, fiat Gargarisma.

## INFUSA.

15. INFUSUM SENNÆ COMPOSITUM  
(VEL MEDICINA DOMESTICA.)

℞ Sennæ Foliorum unciam,  
Magnesiæ Sulphatis uncias quatuor,  
Zingiberis contusi drachmas duas,  
Aquæ ferventis—octarium,  
Macera per horas quatuor, cola.  
Dosis fʒiss. ad fʒiii.

## 16. INFUSUM JUNIPERI CUM SCOPARIO.

℞ Juniperi Fructus unciam,  
Scoparii Stipitum semunciam,  
Aquæ ferventis octarium ;  
Macera per horas duas, cola.

## INJECTIO.

17. INJECTIO QUERCUS CORTICIS  
(VAGINALIS.)

℞ Decocti Quercūs corticis octarium,  
Aluminis drachmas duas ;  
Solve, fiat Injectio.

## LINIMENTA.

18. LINIMENTUM CAMPHORÆ CUM OLEO  
CROTONIS.

℞ Linimenti Camphoræ compositi fluidunciam,  
Olei Crotonis guttas decem,  
Olei Olivæ semunciam ;  
Misce, fiat Linimentum.

19. LINIMENTUM CAMPHORÆ CUM  
OPIO.

℞ Linimenti Camphoræ compositi fluidunciam,  
Olei Olivæ, et  
Tincturæ Opii, singulorum fluidrachmas  
duas ;  
Misce, fiat Linimentum.

## 20. LINIMENTUM IODINII COMPOSITUM.

℞ Potassii Iodidi unciam dimidiam,  
 Liquoris Ammoniæ fortis et  
 Olei Olivæ, singulorum unciam,  
 Aquæ uncias tres ;

Misce, fiat Linimentum.

## 21. LINIMENTUM OPII.

℞ Opii Pulveris subtilissimi drachmam,  
 Olei Olivæ fluidunciam ;

Misce, fiat Linimentum.

## 22. LINIMENTUM SAPONIS COMPOSITUM.

℞ Saponis mollis libras duas,  
 Olei Rosmarini et Olei Origani singu-  
 lorum fluiduncias duas,  
 Spiritus tenuioris Congium.

Misce, fiat Linimentum.

## 23. LINIMENTUM SAPONIS CUM OPIO.

℞ Linimenti Saponis compositi fluidunciam,  
 Tincturæ Opii fluidrachmas duas ;

Misce, fiat Linimentum.

24. LINIMENTUM TEREBINTHINÆ  
ACETICUM.

R<sup>o</sup> Olei Terebinthinæ et  
Acidi Acetici fortioris, singulorum fluid-  
uncias duas cum semisse ;  
Olei Lini et  
Mellis, singulorum unciam dimidiam ;  
Misce, fiat Linimentum.

LIQUORES.

---

25. LIQUOR CINCHONIÆ DISULPHATIS.

R<sup>o</sup> Cinchoniæ Disulphatis grana sedecim,  
Acidi Sulphurici diluti, minima triginta  
duo,  
Aquæ fluidunciam ;  
Solve.  
Dosis fʒi.

26. LIQUOR IODINII CAUSTICUS.

R<sup>o</sup> Iodinii et  
Potassii Iodidi, singulorum unciam ;  
Spiritūs Vini rectificati fluiduncias  
duas ;  
Solve.

27. LIQUOR MORPHIÆ HYDROCHLORATIS

(VEL HAUSTUS ANODYNUS.)

- R. Morphiæ Hydrochloratis granum,  
Aquæ fluidunciam ;

Solve.

Dosis, f $\frac{3}{4}$ ii ad f $\frac{3}{4}$ i.

28. LIQUOR POTASSII IODIDI.

- R. Potassii Iodidi drachmam,  
Aquæ fluidunciam ;

Solve.

Dosis, m xv. ad f $\frac{3}{4}$ i.

LOTIONES.

---

29. LOTIO ACIDI NITRICI.

- R. Acidi Nitrici fluidrachmam,  
Tincturæ Opii fluidrachmam,  
Aquæ octarium ;

Misce, fiat Lotio.

30. LOTIO ARGENTI NITRATIS.

- R. Argenti Nitratis grana quatuor,  
Aquæ destillatæ fluidunciam ;

Solve, fiat Lotio.

## 31. LOTIO CUPRI SULPHATIS.

℞ Cupri Sulphatis grana quatuor,  
Aquæ fluidunciam ;  
Solve, fiat Lotio.

## 32. LOTIO PLUMBI DIACETATIS.

℞ Liquoris Plumbi Diacetatis fluidrach-  
mam,  
Aquæ destillatæ octarium ;  
Misce, fiat Lotio.

## 33. LOTIO ZINCI SULPHATIS.

℞ Zinci Sulphatis grana quatuor,  
Aquæ destillatæ fluidunciam ;  
Solve, fiat Lotio.

## 34. LOTIO ZINCI SULPHATIS COMPOSITA

(VEL LOTIO RUBRA.)

℞ Zinci Sulphatis grana duo,  
Tincturæ Lavandulæ compositæ minima  
quindecim,  
Aquæ destillatæ fluidunciam ;  
Misce, fiat Lotio.

## MISTURÆ.

## 35. MISTURA ACACIÆ CUM VINO IPECA-CUANHÆ.

R Decocti Hordei et  
 Misturæ Acaciæ, singulorum fluiduncias  
 duas,  
 Vini Ipecacuanhæ fluidrachmas duas,  
 Tincturæ Scillæ fluidrachmam dimidiam,  
 Syrupi Papaveris fluidrachmam ;  
 Misce, fiat Mistura.  
 Dosis fʒj ad ʒiss.

## 36. MISTURA ALOETICA.

R Decocti Aloës compositi fluiduncias sex,  
 Tincturæ Rhei fluidrachmas tres,  
 Magnesiæ Carbonatis scrupulum,  
 Magnesiæ Sulphatis drachmas sex ;  
 Misce, fiat Mistura.  
 Dosis fʒj ad ʒiss.

## 37. MISTURA AMYGDALI CUM ANTIMONII POTASSIO-TARTRATE.

R Antimonii Potassio-Tartratis grana octo,  
 Mistura Amygdali amari fluiduncias octo;  
 Misce, fiat Mistura.  
 Dosis fʒss ad ʒiss.

38. MISTURA ANTHEMIDIS CUM MAGNESIÆ SULPHATE.

℞ Infusi Anthemidis fluiduncias sex,  
Magnesiæ Sulphatis unciam,  
Tincturæ Zingiberis fluidrachmam ;  
Misce, fiat Mistura.

Dosis fʒiss ad fʒij.

39. MISTURA ANTIMONII POTASSIO-TARTRATIS.

℞ Antimonii Potassio-Tartratis grana octo,  
Misturæ Camphoræ fluiduncias octo ;  
Misce, fiat Mistura.

Dosis fʒss ad fʒiss.

40. MISTURA ANTIMONII POTASSIO-TARTRATIS CUM MAGNESIÆ SULPHATE.

℞ Antimonii Potassio-Tartratis granum,  
Magnesiæ Sulphatis drachmas quatuor,  
Misturæ Camphoræ fluiduncias sex ;  
Misce, fiat Mistura.

Dosis fʒj ad fʒij.

41. MISTURA CASCARILLÆ CUM ACIDO NITRICO.

℞ Infusi Cascarillæ fluiduncias quinque  
cum semisse,

Acidi Nitrici diluti fluidrachmam,  
 Tincturæ Humuli fluidrachmas tres ;  
 Misce, fiat Mistura.

Dosis fʒi ad fʒiss.

#### 42. MISTURA CATECHU.

℞ Aquæ Anethi fluiduncias quatuor,  
 Misturæ Cretæ fluiduncias duas,  
 Misturæ Acaciæ fluidunciam,  
 Tincturæ Catechu fluidrachmas tres,  
 Syrupi Zingiberis fluidrachmas quinque ;  
 Misce, fiat Mistura.

Dosis fʒss ad fʒiss.

#### 43. MISTURA COLCHICI ALKALINA.

℞ Vini Seminum Colchici fluidrachmas tres,  
 Sodæ Sesquicarbonatis drachmas duas,  
 Aquæ Menthæ Piperitæ fluiduncias  
 quatuor cum semisse,  
 Aquæ fontanæ fluiduncias tres ;  
 Misce.

Dosis fʒi ad fʒiss.

#### 44. MISTURA COLCHICI CUM MAGNESIA

℞ Vini Seminum Colchici semunciam,  
 Magnesiæ drachmas duas,

Aquæ Menthæ Piperitæ octarium ;  
 Misce, fiat Mistura.  
 Dosis fʒj ad ʒiss.

45. MISTURA COLCHICI CUM MAGNESIÆ SULPHATE.

℞ Vini Seminum Colchici fluidrachmas duas,  
 Magnesiæ Sulphatis drachmas quatuor,  
 Magnesiæ Carbonatis scrupulos duos,  
 Aquæ Menthæ Piperitæ fluiduncias sex;  
 Misce, fiat Mistura.  
 Dosis fʒi ad fʒiss.

46. MISTURA GENTIANÆ CUM ACIDO SULPHURICO.

℞ Infusi Gentianæ compositi octarium,  
 Acidi Sulphurici diluti fluidrachmas duas;  
 Misce, fiat Mistura.  
 Dosis fʒj ad fʒij.

47. MISTURA LOBELIÆ ET AMMONIACI.

℞ Tineturæ Lobeliæ Inflatæ fluidrachmam,  
 Tincturæ Hyoscyami fluidrachmam et  
 dimidiam,  
 Misturæ Ammoniaci fluidrachmas duo-  
 decim,  
 Aquæ fluidrachmas duodecim ;  
 Misce, fiat Mistura.  
 Dosis fʒss ad ʒi.

48. MISTURA MAGNESIÆ SULPHATIS  
CUM ACIDO SULPHURICO.

℞ Magnesiaæ Sulphatis uncias tres,  
Aquæ Menthae Piperitæ fluiduncias qua-  
tuordecim,  
Acidi Sulphurici diluti fluidunciam di-  
midiam ;  
Misce, fiat Mistura.  
Dosis fʒiss ad fʒii.

49. MISTURA MAGNESIÆ SULPHATIS CUM  
MAGNESIA.

(VEL SALINA APERIENS)

℞ Magnesiaæ Sulphatis unciam,  
Magnesiaæ Carbonatis drachmam,  
Antimonii Potassio-Tartratis granum,  
Aquæ ferventis uncias octo ;  
Misce, fiat Mistura.

Dosis fʒj ad fʒij.

50. MISTURA OPII AMMONIATA.

℞ Tincturæ Opii et  
Tincturæ Scillæ singulorum fluidunciam  
cum semisse ;  
Spiritūs Ammoniæ aromaticæ fluidun-  
cias tres,

Mellis optimi fluiduncias tres,  
 Aquæ Menthae Piperitæ,  
 Aquæ, singulorum fluiduncias quadra-  
 ginta duo ;

Misce, fiat Mistura.

Dosis flss ad ȝj.

**51. MISTURA POTASSÆ ACETATIS COM-  
POSITA.**

℞ Potassæ Acetatis semunciam,  
 Tincturæ Scillæ fluidrachmas tres,  
 Spiritûs Ætheris Nitrici fluidunciam  
 dimidiam,  
 Infusi Juniperi cum Scopario fluidun-  
 cias duodecim ;

Misce, fiat Mistura.

Dosis fli ad flss.

**52. MISTURA QUASSIÆ CUM FERRO.**

℞ Infusi Quassiæ octarium,  
 Ferri Ammonio-Citratis drachmam ;  
 Misce, fiat Mistura.

Dosis flj ad ȝiss.

**53. MISTURA QUINÆ CUM ACIDO NI-  
TRICO.**

℞ Quinæ Disulphatis grana viginti qua-  
 tuor,  
 Acidi Nitrici diluti fluidrachmam,

Aquæ Cinnamomi et  
Aquæ puræ, singulorum fluiduncias sex ;  
Misce, fiat Mistura.  
Dosis flij ad fliss.

54 MISTURA QUINÆ CUM ACIDO SULPHURICO.

℞ Quinæ Disulphatis grana octo,  
Acidi Sulphurici diluti minima sex,  
Aquæ fluiduncias quatuor ;  
Misce, fiat Mistura.  
Dosis flij ad fliss.

55. MISTURA RHEI CUM MAGNESIA.

℞ Magnesiæ Carbonatis drachmas duas  
Pulveris Rhei drachmam,  
Pulveris Zingiberis semidrachmam,  
Aquæ Menthae Piperitæ fluiduncias  
octo ;  
Misce, fiat Mistura.  
Dosis flij ad flij.

56. MISTURA SALINA.

℞ Sodæ Potassio-Tartratis unciam dimidi-  
diam,  
Sodæ Sesquicarbonatis drachmas duas,  
Aquæ puræ fluiduncias viginti ;  
Misce, fiat Mistura.  
Dosis flij ad fliss.

57. MISTURA SALINA CUM ACIDO HYDROCYANICO.

℞ Misturæ Salinæ fluiduncias sex,  
Acidi Hydrocyanici diluti fluidrachmam  
dimidiam ;

Misce.

Dosis fʒi ad fʒiss.

58. MISTURA SALINA ANTIMONIALIS.

℞ Antimonii Potassio-Tartratis granum,  
Sodæ Potassio-Tartratis drachmam cum  
semisse,

Potassæ Nitratis drachmam dimidiam,  
Acidi Hydrocyanici diluti fluidrachmam  
dimidiam,

Aquæ puræ fluiduncias sex ;

Misce, fiat Mistura.

Dosis fʒi ad fʒiss.

59. MISTURA SCILLÆ CUM CONIO.

℞ Tincturæ Scillæ fluidrachmam,  
Liquoris Potassæ fluidrachmam cum  
semisse

Extracti Conii scrupulum,

Misturæ Camphoræ fluiduncias quinque  
cum semisse ;

Misce, fiat Mistura.

Dosis fʒi ad fʒiss.

**60. MISTURA TINCTURÆ CAMPHORÆ  
COMPOSITÆ.**

℞ Vini Ipecacuanhæ fluidrachmam dimidiām,

Tincturæ Camphoræ compositæ fluidrachmas duas cum semisse,

Tincturæ Hyoscyami fluidrachmas duas,  
Aquæ semilibram;

Misce, fiat Mistura.

Dosis fʒi ad fʒiss.

**61. MISTURA VALERIANÆ.**

℞ Infusi Valerianæ fluiduncias sex,

Tincturæ Valerianæ compositæ fluidrachmas sex ;

Misce, fiat Mistura.

Dosis fʒj ad ʒij.

**62. MISTURA VALERIANÆ COMPOSITA.**

℞ Misturæ Camphoræ fluiduncias quinque,  
Spiritūs Ammoniæ aromaticæ drachmas duas,

Tincturæ Valerianæ fluidrachmas tres,

Tincturæ Camphoræ compositæ fluidrachmam ;

Misce, fiat Mistura.

Dosis fʒj ad fʒij.

## PILULÆ.

63. PILULÆ ALOËS CUM HYDRARGYRO.  
(VEL PILULÆ PURGANTES.)

℞ Pulveris Aloës uncias novem,  
Pulveris Cambogiæ uncias septem,  
Pilulæ Hydrargyri drachmas quadraginta  
duas,  
Extracti Hyoscyami drachmas octo-  
decim.

Dosis Gr. v ad xv.

## 64. PILULÆ BISMUTHI CUM STRAMONIO.

℞ Extracti Stramonii grani sextam partem,  
Bismuthi Trisnitratis grana duo,  
Extracti Humuli grana duo ;  
Misce, fiat pilula.

Dosis i ad ii.

## 65. PILULA CALOMELANOS CUM ACONITO.

℞ Calomelanos granum,  
Extracti Aconiti granum ;  
Misce, fiat Pilula.

Dosis i.

66. PILULÆ CALOMELANOS CUM ANTI-  
MONIO.

℞ Calomelanos grana quindecim,

Antimonii Potassio-Tartratis granum,  
Extracti Conii serupulum.

Misce, fiant pilulæ decem.

Dosis i ad ii.

#### 67. PILULÆ COLCHICI CUM ACONITO.

℞ Extracti Colchici acetici grana tria,  
Extracti Aconiti granum cum semisse;

Misce, fiat pilula.

Dosis i.

#### 68. PILULÆ COLOCYNTHIDIS.

℞ Extracti Colocynthidis compositi grana  
quinque,

Fiat pilula.

Dosis i ad iij.

#### 69. PILULÆ COLOCYNTHIDIS CUM HYDRARGYRO.

℞ Pilulæ Hydrargyri serupulum,  
Extracti Colocynthidis compositi scru-  
pulos duos,

Olei Caryophyllarum guttas quatuor;

Misce, fiant pilulæ duodecim.

Dosis i ad iij.

**70. PILULÆ COLOCYNTHIDIS CUM IPECACUANHA.**

(VEL APERIENS ET ALTERATIVA).

℞ Extracti Colocynthidis compositi grana duo,

Pilulæ Hydrargyri granum cum semisse,

Extracti Hyoscyami granum,

Pulveris Ipecacuanhæ grani tertiam partem;

Misce, fiat pilula.

Dosis i ad iij.

**71. PILULA CONII CUM IPECACUANHA.**

℞ Extracti Conii grana quatuor,

Pulveris Ipecacuanhæ semigranum;

Misce, fiat pilula.

Dosis i ad iij.

**72. PILULÆ CONII CUM MORPHIA.**

℞ Extracti Conii grana quatuor,

Pulveris Ipecacuanhæ semigranum,

Morphiæ Hydrochloratis grani octavam partem.

Misce, fiat pilula.

Dosis i.

## 73. PILULÆ FERRI CUM MYRRHA.

℞ Ferri Sulphatis exsiccatæ granum,  
Pilulæ Aloës cum Myrrha et  
Assafœtidæ, singulorum grana duo,  
Olei Carui quantum sufficiat.

Misce, fiat pilula.

Dosis i ad ij.

74. PILULÆ HYDRARGYRI CUM EXTRACTO  
PAPAVERIS.

℞ Pilulæ Hydrargyri et  
Extracti Papaveris, singulorum semi-  
drachmam ;

Misce, fiant pilulæ duodecim.

Dosis i.

75. PILULÆ HYDRARGYRI CUM PULVERE  
IPECACUANHÆ COMPOSITO.

℞ Pilulæ Hydrargyri grana duo,  
Pulveris Ipecacuanhæ compositi grana  
tria,

Misce, fiat pilula.

Dosis i ad iij.

## 76. PILULÆ HYOSCYAMI CUM OPIO.

℞ Extracti Hyoscyami grana viginti,  
Extracti Opii aquosi grana decem ;

Misce, fiant pilulæ decem,

Dosis i ad iij.

## 77. PILULÆ LACTUCARII.

- ℞ Lactucarii et  
 Extracti Hyoscyami, singulorum grana  
 tria;  
 Misce, fiat pilula.  
 .      Dosis i ad iiij.

## 78. PILULÆ MORPHIÆ ET STRAMONII.

(No. 1.)

- ℞ Morphiæ Hydrochloratis grani sextam  
 partem,  
 Pulveris Ipecacuanhæ semigranum,  
 Extracti Stramonii grani sextam partem,  
 Extracti Humuli grana duo;  
 Misce, fiat pilula.  
 Dosis i.

(No. 2.)

79. DOSIS MORPHIÆ HYDROCHLORATIS  
 GRANI TERTIA PARS.

Dosis i.

(No. 3.)

80. DOSIS MORPHIÆ HYDROCHLORATIS  
 SEMIGRANUM.  
 Dosis i.

## 81. PILULÆ PLUMBI ACETATIS.

℞ Plumbi Acetatis semigranum,  
 Morphiæ Hydrochloratis grani quar-  
 tam partem,  
 Extracti Hyoscyami grana duo ;  
 Misce, fiat pilula.

Dosis i ad iij.

## 82. PILULÆ QUINÆ DISULPHATIS.

℞ Quinæ Disulphatis scrupulum,  
 Micæ panis quantum sufficiat ut fiant  
 pilulæ decem ;

Dosis i ad ij.

## 83. PILULÆ RHEI CUM HYDRARGYRO.

℞ Pilulæ Hydrargyri grana decem,  
 Pilulæ Rhei compositæ drachmam  
 dimidiām ;

Misce, fiant pilulæ decem.

Dosis i ad iij.

## 84. PILULÆ SCILLÆ CUM HYDRARGYRO.

℞ Pilulæ Hydrargyri scrupulum,  
 Pulveris Scillæ grana decem,  
 Pulveris Digitalis grana quinque,

Extracti Conii grana quindecim,  
Creosoti quantum sufficiat ;  
Misce, fiant pilulæ decem.  
Dosis i.

## PULVERES.

## 85. PULVIS CALOMELANOS ET IPECA-CUANHÆ.

℞ Pulveris Ipecacuanhæ semidrachmam,  
Calomelanos semidrachmam,  
Sacchari albi drachmam ;  
Misce, fiat pulvis.  
Dosis (infantilis) gr. iv.

## 86. PULVIS CALOMELANOS ET JALAPÆ.

℞ Calomelanos grana decem,  
Pulveris Jalapæ grana triginta,  
Pulveris Zingiberis grana decem ;  
Misce, fiat pulvis.  
Dosis (infantilis) gr. v ad x.

## 87. PULVIS IPECACUANHÆ CUM ANTIMONII-POTASSIO-TARTRATE.

(VEL PULVIS EMETICUS.)

℞ Pulvis Ipecacuanhæ scrupulum,  
Antimonii Potassio-Tartratis granum ;  
Misce, fiat pulvis emeticus.

88. PULVIS QUINÆ DISULPHATIS ET  
RHEI.

- ℞ Quinæ Disulphatis grana quinque,  
Pulveris Rhei grana triginta ; .  
Misce, fiat pulvis.  
Dosis (infantilis) gr. v.

89. PULVIS RHEI ET HYDRARGYRI  
CUM CRETA.

- ℞ Hydrargyri cum Cretâ scrupulum,  
Pulveris Rhei scrupulos duos ;  
Misce, fiat pulvis.  
Dosis (infantilis) gr. vi.

90. PULVIS RHEI CUM MAGNESIA.

- ℞ Pulveris Rhei grana triginta,  
Magnesiæ drachmam,  
Pulveris Zingiberis grana duo ;  
Misce, fiat pulvis.  
Dosis (infantilis) gr. ix.

91. PULVIS RHEI ET SODÆ.

- ℞ Pulveris Rhei scrupulos duos,  
Sodæ exsiccatæ et  
Hydrargyri cum cretâ singulorum  
scrapulorum.  
Misce, fiat pulvis.  
Dosis (Infantilis) gr. viij.

## SUPPOSITORIUM.

## 92. SUPPOSITORIUM OPII.

℞ Opii Pulveris grana duo,  
Saponis duri grana tria ;  
Misce, fiat Suppositorium.

## SYRUPI.

## 93. SYRUPUS FERRI CARBONATIS.

℞ Ferri Sulphatis unciam,  
Sodæ Bicarbonatis unciam,  
Aquæ destillatæ fluiduncias octo ;  
Solve pulveres et præcipita.  
℞ Præcipitati recentis unciam,  
Syrupi Simplicis fluiduncias viginti ;  
Misce.  
Dosis ʒss ad ʒii.

## 94. SYRUPUS FERRI IODIDI.

℞ Ferri Iodidi solutionis (P.L.) fluidunciam,  
Syrupi fluiduncias duas ;  
Misce, fiat syrupus.  
Dosis fʒss ad fʒii.

## TINCTURA.

## 95. TINCTURA CANNABIS INDICÆ.

- ℞ Extracti Cannabis Indicæ grana tria,  
Spiritus Vini rectificati fluidrachmam ;  
Dosis  $m$  v. ad  $m$  xx.

## UNGUENTA.

## 96. UNGUENTUM POTASSII IODIDI.

- ℞ Potassii Iodidi semunciam,  
Axungiæ unciam cum semisse ;  
Misce, fiat Unguentum.

## 97. UNGUENTUM SULPHURIS IODIDI.

- ℞ Adipis unciam,  
Sulphuris Iodidi grana quindecim ;  
Misce, fiat Unguentum.

98. UNGUENTUM HYDRARGYRI NITRATIS  
MITIUS.

- ℞ Unguenti Hydrargyri Nitratis uncias  
duas,  
Adipis uncias duas,  
Olei Olivæ unciam ;  
Misce, fiat Unguentum.

## VINUM.

—  
99. VINUM FERRI.

B. Ferri Potasso-Tartratis uncias duas,  
Aquæ ferventis fluiduncias viginti ;  
Misce.

Dosis fʒss ad fʒii.

## APPENDIX.

THE FOLLOWING TABLES EXHIBIT THE PROPORTIONS OF WEIGHTS AND MEASURES, AND THE SIGNS USED IN PRESCRIPTIONS.

### APOTHECARIES' WEIGHT.

A pound,	<i>libra,</i>	lb.	contains	12 ounces.
An ounce,	<i>uncia,</i>	$\frac{1}{3}$	„	8 drachms.
A drachm,	<i>drachma,</i>	$\frac{1}{3}$	„	3 scruples.
A scruple,	<i>scrupulus,</i>	$\frac{1}{3}$	„	20 grains.
A grain,	<i>granum,</i>	gr.		
A gallon,	<i>congius,</i>	cong.	contains	8 pints.
A pint,	<i>octarius,</i>	O	„	20 fluid ounces.
A fluid ounce,	<i>fluiduncia,</i>	f $\frac{1}{3}$	„	8 fluid drachms.
A fluid drachm,	<i>fluidrachma,</i>	f $\frac{1}{3}$	„	60 minims.
A minim,	<i>minimum,</i>	m.		

### APOTHECARIES' WEIGHT.

lb.	$\frac{1}{3}$	$\frac{1}{3}$	$\frac{1}{3}$	gr.
1 =	12 =	96 =	288 =	5760
	1 =	8 =	24 =	480
		1 =	3 =	60
			1 =	20
Cong.	O	f $\frac{1}{3}$	f $\frac{1}{3}$	m
1 =	8 =	160 =	1280 =	76800
	1 =	20 =	160 =	9600
		1 =	8 =	480
			1 =	60

## GENERAL HEADS FOR REPORTS OF CASES.

### PREVIOUS HISTORY.

NAME—Sex—Age.

DATE OF ADMISSION—Day of Week, Month and Year.

CIVIL STATE—Occupation—How long followed, and with or without interruption.—Married [When and Number of Children] or Single—Habits and Mode of Life—Quantity and Quality of Food and Drink—Clothing.

PLACE OF ABODE—Damp or dry—Open or confined—How long resident—and how long in London.

Stature—Conformation—Temperament—Complexion.

HABITUAL STATE OF MIND—Anxious—Melancholy—Cheerful—Sleep.

HEREDITARY PREDISPOSITION—Age of Parents—To what diseases subject—if dead, of what disease, and at what age—Diseases of brothers, sisters, or children, if any worth noting.

HABITUAL STATE OF HEALTH—and amount of flesh—and strength—*any and what previous diseases*, and their dates and duration. (Here and under previous head, when necessary,

give a few leading facts or symptoms to prove the nature of the disease.)—Ever had Acute or Chronic Rheumatism.—Scarlet Fever or Syphilis.

**PRESENT ATTACK**—*Exact date of its commencement—How long left off work—How long confined to bed.*

(Note Symptoms in the order of their occurrence—with dates of commencement and cessation—progressive changes—and exact seat of chief ones.)

**TREATMENT** before admission, and its effects.

### PRESENT STATE.

(Note the condition of *all* parts of the body in succession—Also the principal *negative* as well as *positive* circumstances in the state of every part.)

#### GENERAL SYMPTOMS—

Rigors—General Pains or Soreness—Lassitude—Prostration of Strength—Position—Jactitation.

**EXTERIOR**—Colour of Skin—Temperature—Sweating or Dryness—Eruptions—Increased cutaneous sensibility—Emaciation—Colour, of lips, cheeks, and eyes—Swelling, Colour, &c. of Joints—Anasarca.

**NERVOUS SYSTEM**—Head—Habitual and present state of Intellect—Delirium—Convul-

sions—Rigidity—Paralysis—Sleep—Pain—Giddiness—Expression of Countenance—State of Organs of Sense.

SPINE—Pain—Tenderness, and its exact seat—Weakness—Curvature.

RESPIRATORY ORGANS—Respiration—its characters and frequency—Pain, its seat and kind—Voice, and state of Larynx—Cough, its character—Expectoration, its quantity and characters—Physical signs.

ORGANS OF CIRCULATION—Heart—Pain—Palpitations—Syncope—Physical signs—Pulse—External veins, dilatation or pulsation of.

DIGESTIVE AND ABDOMINAL ORGANS—Mouth—Tongue—Throat—Deglutition—Odour of Breath—Appetite—Thirst—Nausea—Vomiting—Abdomen—Size—Form—Pain—Tenderness—Stools, number and character of.

LIVER—Size—Symptoms referable to—SPLEEN, size, &c.

KIDNEYS, BLADDER AND URETHRA—Urine—Quantity—Colour—Odour—Sediments and their characters—Specific gravity. Is it Acid, Alkaline—Does it contain Albumen or excess of Urea?

ORGANS OF GENERATION—Menses—Age at which began and ceased—Periods—Quantity—Quality.

SUPPOSED EXCITING CAUSES—Epidemics—Contagion—State of weather—Exposed to wet, cold, or currents of air—Moral causes—

Degree of Intensity—Date and duration of application—Number of hours or days between application and appearance of disease.

TREATMENT—Medicinal and Dietetic.

PROGRESS—

DAILY REPORTS—State of principal preceding symptoms—Accession of new symptoms—  
—Effects of remedies prescribed—*Exact date* when each thing was prescribed and *omitted*.

RESULT—Date and cause of discharge—or death.

## INSPECTION OF THE BODY.

NUMBER OF HOURS AFTER DEATH — State of Weather.

(Note state of *all* the organs and the chief *negative* as well as *positive* circumstances of each—Also the weights of Viscera and *position* of those of Thorax and Abdomen.)

EXTERIOR—Emaciation—Thickness of fat in Integuments—Colour of Skin—Eruptions—Abrasion—Sloughing—Œdema—Cadaveric rigidity—Colour of Muscles.

HEAD AND SPINE—Integuments and bones of Head—The three membranes of Brain—their Colour—Thickness—Transparency—Adhesions—Quantity and character of Serous or other effusion in cavity of Arachnoid—in Ventricles—and under and between Membranes.

Sinuses and Veins—Amount and aspect of Blood—State of coats—Condition of chief arteries.

Brain—Cerebellum—Medulla oblongata and spinal cord—Convolutions and Sulci—size and depth—Colour and consistency of gray and white parts—Number and size of red points—Organs of Sense.

LARYNX—PIGLOTTIS—GLOTTIS—TRACHEA—Mucous membrane—their Colour—Thickness—Consistency, &c.

CHEST—PLEURA—its Colour—Thickness—Transparency—Adhesions—Contents—Thymus gland.

LUNGS—Bronchi—Colour—Thickness—Consistency—Secretion, &c. of Mucous membrane—Calibre of Bronchi—Thickness of Cartilages—Bronchial glands—Substance of Lungs—Volume—Colour—Density—Consistency—Quantity of Blood or Serum—Size of Air-cells.

PERICARDIUM—Colour—Transparency—Thickness—Any white patch on it, and where—Quantity of fat under it—Adhesions—Serous or other effusion.

HEART—LEFT VENTRICLE—Thickness, Colour and Density of Walls—Columnæ carneæ—and Septum—Capacity—State of lining membrane—Valves and orifices—Changes in their thickness—Texture and dimensions.

RIGHT VENTRICLE—the same.

**LEFT AURICLE**—Thickness of Walls and Musculi pectinati—Capacity—Endocardium—Foramen ovale, open or closed.

**RIGHT AURICLE**—the same.

**AORTA** — **PULMONARY ARTERY** — AND **LARGE VENOUS TRUNKS**—Circumference—Colour—Thickness—Changes of texture, &c. in coats—Blood in heart and great vessels—quantity in each cavity—colour—fluid, watery or coagulated—if any colourless coagula, note their position.

**MOUTH**—Throat—Pharynx and Oesophagus.

**TONGUE**—Salivary glands—Volume and mucous membrane—Mucous lining of Mouth—Soft palate—Tonsils and Oesophagus.

**STOMACH**—**DUODENUM AND REST OF SMALL AND LARGE INTESTINES**—Volume—Contents—Orifices—Mucous membrane—its Colour—Thickness—Consistency—Quantity and character of Secretions—Glands aggregate and solitary.

**MESENTERIC AND MESOCOLIC GLANDS**—Size—Colour—Consistency.

**PERITONEUM** — Colour — Thickness — Transparency — Smoothness — Adhesions — Contents, &c.—Omentum.

**LIVER**—Size—Colour—Consistency—Quantity of blood—Tunics—Gall-bladder and biliary ducts—Capacity, &c.—Bile—Quantity—Colour—Consistency.

**SPLEEN**—Size—Colour—Consistency—Tunics.

PANCREAS—Size—Colour—Consistency.

LYMPHATIC GLANDS—Lumbar—Inguinal—Cervical—Axillary, &c.

KIDNEYS—Proper tunic—Thickness—Colour—Degree of adhesion—Exterior volume—Form—Colour—Smoothness—Cortical and tubular portions—Size—Colour—Density—Changes in texture.

PELVIS AND URETERS—Capacity—Mucous membrane, characters of.

BLADDER, URETHRA AND PROSTRATE GLAND—Volume—Density—Capacity—Thickness and other characters of different components.

UTERUS—FALLOPIAN TUBES—OVARIES—TESTES.

MICROSCOPIC EXAMINATIONS.

THE END.

# Works

PUBLISHED BY

TAYLOR AND WALTON,

28, UPPER GOWER STREET.

---

---

## Murphy's Lectures on Midwifery.

### LECTURES ON NATURAL AND DIFFICULT

PARTURITION. By EDWARD W. MURPHY, A.M., M.D., Professor of Midwifery in University College. One Volume, Octavo, with numerous Engravings on Wood. 9s. cloth.

"The whole of these Lectures, which refer to difficult and laborious labours, and to the application of instruments, will be found of the very greatest value."—*Lancet*.

## Ballard and Garrod's Materia Medica.

### ELEMENTS OF MATERIA MEDICA AND

THERAPEUTICS. By EDWARD BALLARD, M.D., Lond. Medical Tutor in University College, and A. B. GARROD, M.D., Lond., Lecturer on Materia Medica and Therapeutics in the Aldersgate School of Medicine. One Volume, Octavo (482 pages) with Diagrams on Wood. 12s. cloth.

"As a manual for Students, it is the best that has yet appeared, and will be found to contain much matter well worthy of perusal by the practitioner."—*Ranking's Report*.

## Walshe on Cancer.

### THE NATURE AND TREATMENT OF CAN-

CER. By WALTER HAYLE WALSHE, M.D., Professor of Pathological Anatomy in University College, Physician to University College Hospital, and to the Hospital for Consumption and Diseases of the Chest. One Volume Octavo, with Illustrations. 16s.

"We must here also refer, in passing to another thing that has particularly struck us in going over Dr. Walshe's book —its strikingly practical character, and the author's enlarged general views of the nature and proper treatment of Cancer."—*Forbes' Review*.

**Diseases of the Lungs.**

**WALSHE'S (DR. W. H.) PHYSICAL DIAGNOSIS OF DISEASES OF THE LUNGS.** Fcap. 8vo, 6s. 6d. cloth.

"The treatise is one of extraordinary merit. Indeed we do not hesitate to say that there exists in no language any work on the physical diagnosis of diseases of the lungs, suited for students, so clear and precise, and at the same time so comprehensive and practical, as this."—*British and Foreign Medical Review*.

**Dr. Quain's Anatomy.** By DR. SHARPEY and MR. QUAIN.

**ELEMENTS OF ANATOMY.** By DR. QUAIN.

*Fifth Edition.* Edited by DR. SHARPEY and MR. QUAIN. Part II.—Containing the FASCIÆ VESSELS, and NERVOUS SYSTEM; also the CONTINUATION of the GENERAL ANATOMY. 8vo, with very numerous Engravings on Wood.

**Completion of Mr. Quain's Work on the Arteries.**

**THE ANATOMY OF THE ARTERIES OF THE HUMAN BODY,** and its Applications to Pathology and Operative Surgery; with a series of Lithographic Drawings the size of nature. By RICHARD QUAIN, F.R.S., Professor of Anatomy in University College, and Surgeon to University College Hospital.

The Drawings from Nature and on Stone, by JOSEPH MACLISE, Esq., Surgeon.

The Work consists of an Octavo Volume of Letter-Press, and Eighty-seven Plates Imperial Folio (27 by 21½ inches). It may be had as follows:—In 17 parts, price 10*l.* 12*s.*; Half-bound Morocco, gilt top, 13*l.* Either with the Plates in Two Volumes folded into half their full size, or with the Plates in One Volume unfolded.

**Chemistry.**

**TURNER'S ELEMENTS OF CHEMISTRY.**

*Seventh Edition.* Edited by JUSTUS LIEBIG, M.D., Professor of Chemistry in the University of Giessen, and WILLIAM GREGORY, M.D., Professor of Chemistry in the University of Edinburgh. 1 thick vol. 8vo, 1*l.* 8*s.*

"As a compendium of the present state of chemistry, and a text-book for all beginners, we consider it is unequalled by any in the English language, and we even doubt whether there are any of the Foreign manuals, of an equal size, which can venture to compete with it."—*Chem. Gaz.*, Dec. 1, 1842.

**Gregory's Chemistry.**

**OUTLINES OF CHEMISTRY, FOR THE USE**

**OF STUDENTS.** By WILLIAM GREGORY, M.D., Professor of Chemistry in the University of Edinburgh. Complete in One Volume, fcap. 8vo, 12s. cloth. Part I.—(INORGANIC CHEMISTRY), 5s. cloth. Part II.—(ORGANIC CHEMISTRY), 7s. cloth.

"This is beyond comparison the best introduction to Chemistry which has yet appeared. The directions for preparing substances are usually confined to the *best* method, so that brevity and selectness are combined. The size and the price of this little work, as well as its intrinsic merits, commend it to every student of Chemistry."—*Lancet*.

**Chemical Analysis.**

**OUTLINES OF THE COURSE OF QUALITA-**

**TIVE ANALYSIS FOLLOWED IN THE GIESSEN LABORATORY.** By HENRY WILL, PH.D., Professor Extraordinary of Chemistry in the University of Giessen. With a Preface, by PROFESSOR LIEBIG. 8vo, 6s., or with the Tables mounted on Linen 7s.

"The present work contains an accurate description of the course I have followed in my laboratory with great advantage for 25 years."—*Baron Liebig*.

**New Edition of Parnell's Chemical Analysis.**

**ELEMENTS OF CHEMICAL ANALYSIS,**

**QUALITATIVE AND QUANTITATIVE.** By EDWARD ANDREW PARRELL, Author of "APPLIED CHEMISTRY IN ARTS, MANUFACTURES, AND DOMESTIC ECONOMY." Second Edition, revised throughout, and enlarged by the addition of 200 pages, 8vo, 14s. cloth.

**Physiology.**

**MULLER'S ELEMENTS OF PHYSIOLOGY.**

Translated, with Notes, by WILLIAM BALY, M.D. Steel Plates and very numerous Engravings on Wood. 2 thick vols. 8vo, 20s. each.

"We do, however, recommend it very strongly, and we have no hesitation in saying that it will supersede all other works as a Text Book for Lecturers, and one of reference for students. It steers a middle course between the superficial brevity of many of our modern works, and the pleonastic and metaphysical jargon of Burdach."—*Med. Chir. Review*, April, 1838.

**Dissection.**

**ELLIS'S DEMONSTRATIONS OF ANATOMY; A GUIDE TO THE DISSECTION OF THE HUMAN BODY.** 1 vol. small 8vo, 12s.

"We think Mr. Ellis's 'Demonstrations' are in every way fitted for the purposes for which they are intended, and we therefore strongly recommend the work to the notice of every member of the profession. We are convinced that it will quickly become the general Text Book of every working student in anatomy."—*British and Foreign Medical Review*.

**Surgical Anatomy.**

**MORTON'S SURGICAL ANATOMY OF THE PRINCIPAL REGIONS.** Royal 8vo. Plates and Woodcuts.

**PERINÆUM.** Four Plates and Three Woodcuts.  
6s. plain, 7s. 6d. coloured.

**GROIN, FEMORAL AND POPLITEAL REGIONS.** Eight Plates and Eleven Wood Engravings.  
9s. plain, 13s. coloured.


**INGUINAL HERNIÆ, TESTIS AND ITS COVERINGS.** Five Plates and Eleven Woodcuts. 13s. coloured, 9s. plain.

**THE HEAD AND NECK, THE AXILLA, AND BEND OF THE ELBOW.** Eight Plates. 12s. coloured, 7s. 6d. plain.

"The production (volume on the Groin) is altogether one which we can conscientiously recommend to the working student \* \* \* \* \* The work will constitute a complete and elaborate treatise, that cannot fail to be highly useful to surgeons in general."—*British and Foreign Medical Review*.

"The present work (Inguinal Herniæ) is a worthy successor to those on the Groin and Perinæum, and will prove, we do not doubt, as great a favourite with students."—*Med. Chir. Rev.*, April, 1841.

---



26 Aug 66 - by Frank



